

COVID-19 Booster Shots



Why are COVID-19 boosters important?

There are 3 kinds of COVID-19 vaccines. Two of the vaccines have two shots. They are called Moderna and Pfizer (Pfizer is also called Pfizer-BioNTech) One of the vaccines has one shot. It's called 'Johnson and Johnson' or 'J and J'.

Scientists watch and test the vaccines to make sure they keep people safe over time. Now scientists found that people who got any of the three COVID-19 vaccines need another to stay safe because of the new type of virus, called the Delta Variant.

This extra shot is called a booster shot. Over time your body needs more vaccine to keep fighting off the virus. Lots of other vaccines have booster shots, too. For example, you get a flu booster shot to keep you safe from the flu each year.

The COVID-19 booster shot is safe. It keeps you from getting very sick and dying from COVID-19.



How do I know if I need a COVID-19 booster shot?

All of the COVID-19 shots will need a booster.

If you got one of the two-shot vaccines, called Pfizer and Moderna, you will need a booster **6 months** after your second shot.

If you got the one-shot vaccine, called the Johnson and Johnson, you will need to get a booster **2 months** after your first shot.

You can check your vaccine card to see which kind of vaccine you got before.



How do I know which COVID-19 booster shot to get?

You must get the same kind of shot for your booster that you got before. For example, if you got the Pfizer shot, then you would get the Pfizer booster. If you got the Johnson & Johnson shot, then you would get the Johnson & Johnson booster. You can check your vaccine card to see which kind you got before.



Should I get a COVID-19 booster shot now? How do I know when to

It is important to ask your doctor when you should get your COVID-19 booster shot.

Here are the current recommendations for who should get each type of booster shot:

• Pfizer & Moderna Shots

- Anyone 65 years or older
- Anyone 18 or older who has a medical condition
- Anyone 18 or older who lives in a long-term care facility
- 18 or older who works or lives in a high-risk places

People in these groups are recommended to get their booster shot at least 6 months after their second shot. For example, if you got your second COVID-19 shot on April 1st, you should get a third shot around October 1st.

• Johnson & Johnson

- Anyone 18 or older who got their Johnson & Johnson vaccine more than 2 months ago

All people who got the Johnson & Johnson shot are recommended to get their booster at least **2 months** after their first shot. For example. If you got your Johnson & Johnson shot on August 1st, you can get your booster on October 1st.

- People who have weak immune systems, the part of the body that keeps your from getting sick, may have already had their booster shot and are recommended to get it if they have not yet.
 - Common medical conditions that people have that might make them more likely to get very sick from COVID-19 and need a booster shot to stay safe include cancer, lung disease, heart disease, kidney disease, and diabetes (all types). It is also recommended to get a booster shot if you are overweight or obese, pregnant, or if you smoke or used to smoke.
 - Some common types of people who live or work in high-risk places includes doctors and nurses, teachers, police and firefighters, mailmen and women, people who work in factories, grocery store workers, and bus drivers.
 - All boosters may be available to everyone soon, even if you don't have a medical condition or work in a high-risk place. Please visit www.cdc.gov or talk to your doctor for more information about boosters.

? Where can I get a COVID-19 booster shot?

You will be able to get your COVID-19 booster shot at many places. You can go to pharmacies, like CVS or Walgreens. You can go to some grocery stores. Many states will also come to your home to give you a vaccine. If you are not sure where to get your shot, you can:

1. Call the DIAL help line at 888-677-1199 for free help
2. Look online at www.vaccines.gov
3. Ask a trusted family member, friend, support staff, or your doctor's office for help
4. **Add local resource here**

? Do I have to pay for a COVID-19 booster shot?

No. All COVID-19 vaccine shots are free for everyone, everywhere. The shot is available for everyone over 12 years old.

You do not need health insurance to get a COVID-19 booster shot.

? What do I need to bring to get my COVID-19 booster shot?

You only need to bring your vaccination card. This is the small, white card that you were given at your first shot. The card says at the top: 'COVID-19 Vaccination Record Card'.

If you lost your vaccination card or it was damaged, you can get a new one by calling **(insert state or local health department information)**.

You do NOT need your ID (like a driver's license) or health insurance.

? What will happen if I choose to not get a COVID-19 booster shot?

You might catch COVID-19 and get very sick.

The vaccine shots give your body lots of protection from COVID-19. Over time, the protection wears out. It is like when a car runs low on gas. A booster shot is like filling up the gas tank. You need more vaccine to avoid getting COVID-19. The booster shot protects you from getting sick. For example, you get your flu shot each year to keep protection from getting sick from the flu.





My doctor said it is not safe for me to get a COVID-19 vaccine because of my medical condition. Do I need to get a booster?

It is important to follow the advice of your doctor. If you are not sure, ask your doctor if the COVID-19 vaccine or COVID-19 vaccine booster shot is right for you.




I also want to get my flu shot this fall. Is it safe to get the flu shot and my COVID-19 shot?

Yes. It is safe to get your flu shot and a COVID-19 shot (your first, second, or booster shots). For example, you can get both shots:

- In the same appointment
- In the same month
- On the same day
- Or in different months
- During the same week



Does this mean the vaccine does not work?



The vaccine works about 95% of the time.

The vaccine works about 95% of the time. If 100,000 people get the vaccine, 99,900 do not catch COVID-19. And sometimes 100 people who got the vaccine might get COVID-19. And of those 100 people who get it, only a few get very sick.